



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX LABORATORY
1337 S. 46TH STREET
BLDG. 201
RICHMOND, CA 94804-4698

MAY 30 2001

MEMORANDUM

SUBJECT: Case R01S26, SDG 01117A
Results for Perchlorate Analysis

FROM: *Brenda Bettencourt*
Brenda Bettencourt, Director
EPA Region 9 Laboratory (PMD-2)

TO: Kevin Mayer, Remedial Project Manager
Northern California Cleanup Section (SFD-7-2)

Attached are the report narrative and results spreadsheet from analysis of samples from the Colorado River Perchlorate Study. These data have been reviewed in accordance with EPA Region 9 Laboratory policy. Summary information for the data included in this report is as follows:

SITE/PROJECT:	Colorado River Perchlorate Study
CASE:	R01S26
LABORATORY:	U. S. EPA Region 9 Laboratory
SAMPLE DELIVERY GROUP(s):	01117A
ANALYSIS:	Perchlorate (EPA method 314.0)

A full documentation package for these data, including raw data and sample custody documentation, has been prepared and is filed at the Region 9 Laboratory. Please contact Vance Fong of the Quality Assurance Program (PMD-3) to request review and/or validation of the data.

If you have any questions please contact Rich Bauer at (510) 412-2312, or Ken Hendrix at (510) 412-2321.

ATTACHMENT: Analytical Report

USEPA REGION 9 LABORATORY
REPORT NARRATIVE

CASE NUMBER:	R01S26
SAMPLE DELIVERY GROUP:	01117A
PROGRAM:	SUPERFUND
DOCUMENT CONTROL #:	B0101011-0142
DATE:	05/25/01
ANALYSIS:	PERCHLORATE
SAMPLE NUMBERS:	

SAMPLE ID

L. V. Wash at North Shore Road Bridge

LABORATORY SAMPLE ID

AB30806

GENERAL COMMENTS

One water sample was received from the Colorado River Perchlorate Study Superfund project on 04/27/01.

The requested analysis was perchlorate by Region 9 Laboratory SOP #531. The perchlorate sample was analyzed within the recommended 28-day holding time.

SAMPLE RECEIPT AND PRESERVATION

No shipping or preservation issues were encountered.

QA/QC SUMMARY

No analyte was detected in the LRB associated with this SDG.

The RPD between the sample and duplicate for perchlorate was less than or equal to the 20% QC limit.

Two sets of LFM and LFM duplicate were analyzed for perchlorate, but the QC sample required a 10-fold dilution. The diluted sample and sample duplicate results were reported.

The perchlorate LFB recovery was within the 90-110% QC limits.

Questions concerning the data can be answered by Osell Salvador at (510) 412-2358

GLOSSARY

Laboratory Reagent Blanks (LRB)

A laboratory reagent blank is laboratory reagent water or baked sand with all reagents added and carried through the same sample preparation and analytical procedures as the field samples. The laboratory reagent blank is used to determine the level of contamination introduced by the laboratory during analysis.

Laboratory Fortified Matrix (LFM), Laboratory Fortified Matrix Duplicate (LFMD) and Laboratory Duplicate (LD) Analysis

The laboratory fortified matrix spike sample and laboratory duplicate analyses provide information about the effect of the sample matrix on sample preparation and measurement. Poor percent recovery (%R) results and large relative percent difference (RPD) between duplicates may indicate inconsistent laboratory technique, sample nonhomogeneity in soils, or matrix effects which may interfere with analysis.

Laboratory Fortified Blank (LFB) Analysis

The laboratory fortified blank is laboratory reagent water or baked sand with a known concentration of the analytes of interest added by the laboratory with all reagents added and carried through the same sample preparation and analytical procedures as the field samples. Poor percent recovery (%R) results may indicate inconsistent laboratory technique.

EPA REGION 9 LABORATORY-RICHMOND, CA
SUMMARY OF ANALYTICAL RESULTS

Case Number: R01S26
Site: Colorado River Perchlorate Study
SDG: 01117A
Date: 05/25/01

Analysis: Perchlorate
Matrix: Water

Station Location	N/A			N/A	N/A		
Sample I.D.	L. V. Wash @ North Shore Road Bridge			Reagent			Quantitation
Lab Sample I.D.	AB30806			Blank			Limit
Date of Collection	04/26/01			N/A			N/A
Analyte (units)	Result	Q	Com	Result	Q	Com	Result
Perchlorate (ug/L)	360			5	U		5

Com - Comments refer to the corresponding section in the report narrative for each letter.

N/A - Not Applicable.

N/R - Not Required.

Q - Refer to data qualifiers.

U - The parameter was analyzed for, but was not detected; The associated value is the sample quantitation limit, adjusted for dilution, if any.

J - The associated value is an estimated quantity.